

Валы линейные из нержавеющей стали NIMET NI-WRA

Технические характеристики

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)74-02-29
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Сочи (862)225-72-31	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Ставрополь (8652)20-65-13	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Сыктывкар (8212)25-95-17	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тамбов (4752)50-40-97	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сургут (3462)77-98-35	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тверь (4822)63-31-35	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47		
Россия (495)268-04-70	Казахстан (772)734-952-31	Киргизия (996)312-96-26-47		

NI-SERIES

WRA

INDUCTION HARDENED AND GROUND STAINLESS STEEL LINEAR SHAFTS

STEEL GRADES CORRESPONDENTS

EN	Werkstoff	DIN	B.S.	UNI	JIS	GOST	AISI / SAE / ASTM
X90CrMoV18	1.4112	X90CrMoV18	-	-	-	-	440B

CHEMICAL COMPOSITION - IN % BY WEIGHT

Steel grade	C	Si	Mn	P	S	Cr	Ni	Mo	V
X90CrMoV18	0.85 ÷ 0.95	max. 1.0	max. 1.0	max. 0.040	max. 0.030	17.0 ÷ 19.0	-	0.90 ÷ 1.30	0.07 ÷ 0.12

MECHANICAL PROPERTIES

Steel grade	Diameter	Tensile strength	Yield strength	Elongation	Hardness	Norm
	Ø	R _m	R _{p0.2}	A ₅	Brinell	
	mm	N/mm ²	N/mm ²	%	HB	
X90CrMoV18+A	4 < Ø ≤ 50	min. 738	min. 427	min. 9	max. 285	EN 10088-3

A=annealed

HARDENABILITY

Steel grade	Surface hardness HRC min.
X90CrMoV18+A	55

A = annealed

NI
SERIES

The hardening depth (SHD according to EN ISO 15787 or R_{ht} according to DIN 6773) is defined as the distance from the steel surface up to the point where the hardness value is 80% of the minimum guaranteed value of the surface hardness and it is established in accordance with ISO 13012, depending on the shaft's size.

The minimum guaranteed value of the surface hardness varies depending the steel grade.

NI-SERIES

WRA

INDUCTION HARDENED AND GROUND STAINLESS STEEL LINEAR SHAFTS

Steel grade X90CrMoV18 (W1.4112)

Surface hardness 57±2 HRC

Surface roughness Ra max. 0.32 µm

Length tolerance ±200 mm

Surface hardening depth, SHD according to EN ISO 15787


On request special lengths, tolerances and dimensions
chrome plating

NI-WRA/METRIC

Shaft Diameter Ø	Weight	Series	Standard length	Surface hardening depth SHD (min. + tol.)	Roundness (circularity) t ₁ max. µm	Parallelism (cylindricity) t ₂ max. µm	Straightness t ₃ max. mm/m	Standard tolerance ISO h6 µm
mm	kg/m		mm	mm	µm	µm	mm/m	µm
4	0.10	NI-WRA 4	3000	min. 0.4	4	6	0.25	0/-8
5	0.15	NI-WRA 5	3000	min. 0.4	4	6	0.25	0/-8
6	0.22	NI-WRA 6	3000	0.4 + 0.9	4	6	0.25	0/-8
8	0.39	NI-WRA 8	6000	0.4 + 0.9	4	6	0.20	0/-9
10	0.62	NI-WRA 10	6000	0.4 + 0.9	4	6	0.20	0/-9
12	0.89	NI-WRA 12	6000	0.6 + 0.9	5	8	0.20	0/-11
14	1.21	NI-WRA 14	6000	0.6 + 0.9	5	8	0.20	0/-11
15	1.39	NI-WRA 15	6000	0.6 + 0.9	5	8	0.20	0/-11
16	1.58	NI-WRA 16	6000	0.6 + 0.9	5	8	0.20	0/-11
20	2.46	NI-WRA 20	6000	0.8 + 0.8	6	9	0.20	0/-13
25	3.85	NI-WRA 25	6000	0.9 + 0.8	6	9	0.15	0/-13
30	5.55	NI-WRA 30	6000	0.9 + 0.8	6	9	0.15	0/-13
35	7.55	NI-WRA 35	6000	1.5 + 1.3	7	11	0.15	0/-16
40	9.86	NI-WRA 40	6000	1.5 + 1.3	7	11	0.15	0/-16
50	15.41	NI-WRA 50	6000	1.5 + 1.3	7	11	0.15	0/-16

The hardening depth (SHD according to EN ISO 15787 or Rht according to DIN 6773) is defined as the distance from the steel surface up to the point where the hardness value is 80% of the minimum guaranteed value of the surface hardness and it is established in accordance with ISO 13012, depending on the shaft's size.

The minimum guaranteed value of the surface hardness varies depending the steel grade.



Steel grade X90CrMoV18 (W1.4112)

Surface hardness 57±2 HRC

Surface roughness Ra max. 0.32 µm

Length tolerance ±200 mm

Surface hardening depth, SHD according to EN ISO 15787

On request special lengths, tolerances and dimensions
chrome plating

NI-WRA / IMPERIAL

Shaft Diameter Ø		Weight	Series	Standard length	Surface hardening depth SHD (min. + tol.)	Roundness (circularity) t ₁ max.	Parallelism (cylindricity) t ₂ max.	Straightness t ₃ max.	Standard tolerance Class "L"
mm	inch	kg/m		inch	inch	inch	inch	in/ft	inch
6.35	0.25	0.25	NI-WRA 6.35	118.11	0.016 + 0.035	0.00016	0.00024	0.00308	-0.0005 / -0.001
9.525	0.375	0.56	NI-WRA 9.525	236.22	0.016 + 0.035	0.00016	0.00024	0.00246	-0.0005 / -0.001
12.7	0.5	0.99	NI-WRA 12.7	236.22	0.024 + 0.035	0.00020	0.00031	0.00246	-0.0005 / -0.001
15.875	0.625	1.55	NI-WRA 15.875	236.22	0.024 + 0.035	0.00020	0.00031	0.00246	-0.0005 / -0.001
19.05	0.75	2.24	NI-WRA 19.05	236.22	0.032 + 0.032	0.00024	0.00035	0.00246	-0.0005 / -0.001
25.4	1	3.98	NI-WRA 25.4	236.22	0.035 + 0.032	0.00024	0.00035	0.00185	-0.0005 / -0.001
31.75	1.25	6.21	NI-WRA 31.75	236.22	0.059 + 0.051	0.00028	0.00043	0.00185	-0.0005 / -0.001
38.1	1.5	8.94	NI-WRA 38.1	236.22	0.059 + 0.051	0.00028	0.00043	0.00185	-0.0006 / -0.0011
50.8	2	15.90	NI-WRA 50.8	236.22	0.087 + 0.063	0.00028	0.00043	0.00185	-0.0006 / -0.0013

The hardening depth (SHD according to EN ISO 15787 or R_ht according to DIN 6773) is defined as the distance from the steel surface up to the point where the hardness value is 80% of the minimum guaranteed value of the surface hardness and it is established in accordance with ISO 13012, depending on the shaft's size.


The minimum guaranteed value of the surface hardness varies depending the steel grade.

NI-SERIES


WRA

INDUCTION HARDENED AND GROUND STAINLESS STEEL LINEAR SHAFTS


CROSSWISE GROOVE




OUTSIDE DIAMETER THREAD




END FOR MOUNT WITH CLEVIS
CLAMP




TAPPED OR DRILLED HOLES
RADIALLY THROUGH SHAFT




GROOVES FOR SNAP RING




RADIAL DRILLING HOLES, BORED




REDUCED DIAMETER WITH/
WITHOUT FEATHER KEYWAY




REDUCED DIAMETER WITH
THREADED END



AXIAL DRILLED AND THREADED
TO ENDS



D-CUT SHAPE



PACKING SOLUTIONS

- Branorost paper, spacer rings, raffia and wooden boxes for Ø 4 - 16 mm.
- Bundles protected with branorost paper, spacer rings and raffia for Ø over 16 mm. Same range but in chrome plated condition can be packed in individual cardboard tubes.
- Customized packaging solutions - wooden cases and wooden Euro-pallets.
- Aluminum foil vacuum bags extra protection of bundles for overseas transportation.

STORAGE AND HANDLING RECOMMENDATIONS

- Keep the products stored in dry and covered spaces.
- Whenever possible, please use the crane to load or unload the bundles; when you use the fork lift, please avoid the direct contact of the forks with the products.
- Always lift the bundles using textile slings. Do not use metal slings during handling of bundles.
- Always use gloves when handling the shafts.
- Always keep dry the cardboard tubes that protect the chromed products.

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47