

Штоки никелированные и хромированные NIMET

NICRO NCB, NICRO NCBM, NICRO NCBV

Технические характеристики

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Сургут (3462)77-98-35
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия (495)268-04-70

Казахстан (772)734-952-31

Киргизия (996)312-96-26-47

NICKEL-CHROME PLATED
STEEL BARS

NCB

NiCro NCB - C45E / C35E
NiCro NCBM - 20MnV6 / 38MnVS6
NiCro NCBV - 42CrMo4+QT

In choosing the right product for an application, there are certain aspects to be taken into consideration. Both the properties of the base material and those of the finished surface are of crucial importance in delivering the optimal solution. The questions to be answered in making the correct decision are:

- What is the product that best fits the application's function and its technical requirements?
- What is the most effective cost-wise solution?
- Which is the product with the less long term impact on the environment?

STEEL GRADES CORRESPONDENTS

EN	Werkstoff	DIN	B.S.	UNI	JIS	GOST	AISI / SAE / ASTM
C45E	1.1191	Ck45	080M46	C45	S45C	45	1045
C35E	1.1181	Ck35	080M36	C35	S35C	35	1035
-	1.5217	20MnV6	55M	-	-	-	A572
38MnVS6	1.1303	38MnSiVS5	-	-	-	-	(15V41) *
46MnVS6	1.1304	44MnSiVS6	-	-	-	-	(10V45) *
42CrMo4	1.7225	42CrMo4	708M40	42CrMo4	SCM440(H)	40ChFA	4140

* Equivalent

CHEMICAL COMPOSITION - IN % BY WEIGHT

Steel grade	C	Si	Mn	P	S	Cr	Mo	Ni	Cu	V	N
C45E *	0.42 ÷ 0.50	0.10 ÷ 0.40	0.50 ÷ 0.80	max. 0.025	max. 0.035	max. 0.40	max. 0.10	max. 0.40	max. 0.30	-	-
C35E *	0.32 ÷ 0.39	0.10 ÷ 0.40	0.50 ÷ 0.80	max. 0.025	max. 0.035	max. 0.40	max. 0.10	max. 0.40	max. 0.30	-	-
20MnV6	0.16 ÷ 0.22	0.10 ÷ 0.50	1.30 ÷ 1.70	max. 0.035	max. 0.035	-	-	-	-	0.08 ÷ 0.20	-
38MnVS6	0.34 ÷ 0.41	0.15 ÷ 0.80	1.20 ÷ 1.60	max. 0.025	0.020 ÷ 0.060	max. 0.30	max. 0.08	-	-	0.08 ÷ 0.20	0.010 ÷ 0.020
46MnVS6	0.42 ÷ 0.49	0.15 ÷ 0.80	1.20 ÷ 1.60	max. 0.025	0.020 ÷ 0.060	max. 0.30	max. 0.08	-	-	0.08 ÷ 0.20	0.010 ÷ 0.020
42CrMo4	0.38 ÷ 0.45	0.10 ÷ 0.40	0.60 ÷ 0.90	max. 0.025	max. 0.035	0.90 ÷ 1.20	0.15 ÷ 0.30	-	max. 0.40	-	-

* Cr+Mo+Ni = max. 0.63

STEEL GRADE

20MnV6 steel grade offers good weldability, enhanced mechanical characteristics, impact resistance at lower temperatures (-20°C).

38MnVS6 has excellent machinability, good weldability and it is widely used in civil, mechanical and chemical engineering applications.

42CrMo4 steel has high hardenability and is an excellent material for the oil and gas industry, mining and automotive engineering.

MECHANICAL PROPERTIES

Steel grade	Diameter Ø mm	Tensile strength R _m N/mm ²	Yield point R _{p0.2} N/mm ²	Elongation A ₅ %	Impact energy KV ₂ J	Hardness * Brinell N/mm ²	Norm
C45E	6 < Ø ≤ 10	750 - 1050	min. 565	min. 5	-	225 - 320	EN 10277
	10 < Ø ≤ 16	710 - 1030	min. 500	min. 6		210 - 315	
	16 < Ø ≤ 40	650 - 1000	min. 410	min. 7		200 - 298	EN ISO 683-1
	18 ≤ Ø ≤ 100	min. 580	min. 305	min. 16		172 - 242	
	100 < Ø ≤ 200	min. 560	min. 275	min. 16		172 - 242	
C45E+QT	20 ≤ Ø ≤ 40	650 - 800	min. 430	min. 16	-	195 - 240	EN ISO 683-1
	40 < Ø ≤ 100	630 - 780	min. 370	min. 17		190 - 270	
	100 < Ø ≤ 160	The values of R _m , R _{p0.2} and A ₅ must be agreed				-	
C35E	6 < Ø ≤ 10	650 - 1000	min. 510	min. 6	-	190 - 298	EN 10277
	10 < Ø ≤ 16	600 - 950	min. 420	min. 7		180 - 285	
	16 < Ø ≤ 40	580 - 880	min. 320	min. 8		172 - 263	EN ISO 683-1
	18 ≤ Ø ≤ 100	min. 520	min. 270	min. 19		154 - 207	
	100 < Ø ≤ 200	min. 500	min. 245	min. 19		154 - 207	
20MnV6	6 < Ø ≤ 25	min. 700	min. 620	min. 10	min. 27J / - 20°C	213 - 260	Technical data according to internal norm
	19 < Ø ≤ 80	min. 600	min. 460	min. 18		159 - 220	
	80 < Ø ≤ 200	min. 550	min. 420	min. 18		155 - 220	
20MnV6 M	20 < Ø ≤ 90	min. 600	min. 520	min. 19	min. 27J / - 20°C	165 - 225	Technical data according to internal norm
38MnVS6	20 < Ø ≤ 120	800 - 950	min. 520	min. 12	-	240 - 290	EN 10267
	120 < Ø ≤ 200	The values of R _m , R _{p0.2} and A ₅ must be agreed				-	-
38MnV6X	20 < Ø ≤ 90	850 - 1000	min. 580	min. 14	-	240 - 290	EN 10267
46MnVS6	20 < Ø ≤ 160	900 - 1050	min. 585	min. 10	-	240 - 290	EN 10267
42CrMo4+QT	6 < Ø ≤ 16	1100 - 1300	min. 900	min. 10	min. 35J / 20°C	298 - 359	EN ISO 683-2
	16 < Ø ≤ 40	1000 - 1200	min. 750	min. 11		298 - 359	
	40 < Ø ≤ 100	900 - 1100	min. 650	min. 12		271 - 331	
	100 < Ø ≤ 160	800 - 950	min. 550	min. 13		240 - 290	
	160 < Ø ≤ 200	750 - 900	min. 500	min. 14			

* The hardness values are for information only

NiCRO

NICKEL-CHROME PLATED
STEEL BARS

NCB

NiCro NCB - C45E / C35E
NiCro NCBM - 20MnV6 / 38MnVS6
NiCro NCBV - 42CrMo4+QT

Dimensions	Ø20 - 160 mm / Ø1" - 6"		
Diameter tolerance	ISO f7 / other, on request		
Roundness	max. 1/2 from diameter tolerance		
Standard lengths	5.000 - 6.400 mm		
Special lengths	On request we can offer cut to fix lengths pieces and special lengths up to max. 6.400 mm		
Surface roughness	Ra: max. 0.20 µm		
	NiCro 150	NiCro 350	NiCro 500
Nickel layer thickness	min. 10 µm	min. 30 µm	min. 35 µm
Chrome layer thickness	min. 20 µm	min. 20 µm	min. 25 µm
Nickel layer microhardness	min. 300 HV0.1		
Chrome layer microhardness	min. 900 HV0.1		
Straightness	max. 0.2 mm/1000 mm		

TABLE OF DIMENSIONS TOLERANCE


Diameter mm	ISO f7 µm
20 ≤ Ø ≤ 30	-20 / -41
30 < Ø ≤ 50	-25 / -50
50 < Ø ≤ 80	-30 / -60
80 < Ø ≤ 120	-36 / -71
120 < Ø ≤ 160	-43 / -83

CORROSION RESISTANCE LEVELS

Diameter mm	NiCro 150		NiCro 350		NiCro 500	
	NSS	AASS	NSS	AASS	NSS	AASS
Ø20 - 160	rating 10 after 500 h	rating 10 after 150h	rating 10 after 1000 h	rating 10 after 350h	rating 10 after 1500h	rating 10 after 500h

Tested in our own laboratory according to ISO 9227, evaluated according to ISO 10289.

The nickel layer is completely free of cracks, pores and by this, the base material is isolated from the atmospheric corrosion, while the chrome layer ensures a very good wear resistance.




NICKEL-CHROME PLATED
STEEL BARS

NCB


NiCro NCB - C45E / C35E
NiCro NCBM - 20MnV6 / 38MnVS6
NiCro NCBV - 42CrMo4+QT

CUSTOMIZED MACHINING


CROSSWISE GROOVE




OUTSIDE DIAMETER THREAD




END FOR MOUNT WITH CLEVIS
CLAMP




TAPPED OR DRILLED HOLES
RADIALLY THROUGH SHAFT




GROOVES FOR SNAP RING




RADIAL DRILLING HOLES, BORED




REDUCED DIAMETER WITH/
WITHOUT FEATHER KEYWAY




REDUCED DIAMETER WITH
THREADED END



AXIAL DRILLED AND THREADED
TO ENDS



D-CUT SHAPE



STORAGE AND HANDLING RECOMMENDATIONS

- Keep the products stored in dry and covered spaces.
- Do not expose for a long time the bars or tubes to the sunlight or to very low temperatures.
- For storage, preferable to use rubber supports or wood lined supports; direct contact with the floor and steel supports that are not lined with soft materials must be avoided.
- Whenever possible, please use the crane to load or unload the bundles; when you use the fork lifts please avoid the direct contact of the forks with the products.
- Always lift the bundles using textile slings. Don't use metal slings during handling of bundles.
- Always keep dry the cardboard tubes that protect the chromed products.

Алматы (7273)495-231	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)74-02-29
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саранск (8342)22-96-24	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Санкт-Петербург (812)309-46-40	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Саратов (845)249-38-78	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Севастополь (8692)22-31-93	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сыктывкар (8212)25-95-17	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Тамбов (4752)50-40-97	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Сургут (3462)77-98-35	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	
Россия (495)268-04-70	Казахстан (772)734-952-31	Киргизия (996)312-96-26-47		